

# PERA

Built-in Appliances



## Product Catalog

öztiryakiler



**Introduction and Useful Information** **2 - 5**


**Built-in Hobs** **6 - 13**

**Built-in Ovens** **14 - 20**



**Microwave Oven** **21**

**Kitchen Hoods** **22 - 30**



**Sliding Hoods** **31**

**Kitchen Sinks** **32 - 38**


**Undermount Sinks** **39 - 41**




**Cubix & Cubim Series** **42 - 43**

**Kitchen Taps** **44 - 45**

**Cuisine Sets** **46 - 49**



**Spare Parts** **50**



# PERA sinks, taps and built-in appliances combine harmony and functionality to the fullest within your kitchen

Nowadays the kitchens have become one of the most important and attractive place at home. Naturally people prefer to live in the kitchen where they prepare cook and eat food in more comfortable and enjoyable atmosphere.

We leave the kitchen design and production of cabinets to their expert. What we are interested in and feel responsible for is the preparation and cooking in kitchen where people deserve the outmost comfort, high performance and safety during washing up and cooking. For this reason we develope our PERA products to offer what people realy need and become happy and satisfied when they use our products.

In our PERA product catalog, you will see the reflection of our wide range of products offered with elegant, functionality, ergonomics and aesthetics.

We market sell and service our products under the umbrella of BLANCO and ÖZTİRYAKİLER which are two well-known big brands. We prepared this catalogue for 2019-2020 to reflect the important developments in the company.


Have you stopped and thougt about the fact that you spend 60% of your time in front of a sink? It is very crucial that you do several work at the same time such as preparing foods and washing dishes and we cannot the deny the level of importance of sinks in that aspect.


Our sink are 18/10 Cr/Ni stainless steel and have a thickness range that varies 0,5 to 1,2 mm. Depending on one's request, it is also possible to connect a food waste disposer to 3 1/2" waste outlet of a sink.


You can also use a PERA mix taps with single function, single and double control lever that will fit perfectly with any type of sink that you choose.

With 23 ltrs and one different model, PERA microwave ovens are suitable for built-in and stand-alone usage.

## PERA







# Practical Information Stainless Steel

The 18-10 Cr/Ni stainless steel used for the production of stainless steel contains primarily iron (about 72%), chrome (about 10%). This metal is just one example among numerous alloy stainless steel types. Other stainless steel types can be cited as; V2A steel, W.N.R 1.4301 kromgan, INOX, DIN-EN X5CrNi 18-10 or Nirosta. The rate of composition for the stainless steel is determined by international standards (for example, DIN-EN 1.4301 or AISI 304).

The chrome found in the steel can form a passive sheet on the surface of the steel. This passive sheet protects the steel from rust and other environmental deteriorations. The passive sheet that we mention here is formed separately via the interaction of the oxygen in the air and the chrome. As a result of this interaction, the steel is able to renew itself against the mechanical erosion on the surface.

## Magnetic Properties Of The Steel

Depending on the metal structure and the composition, the stainless steel can act as a magnet. The stainless steel used in the PERA sinks do not show any magnetic properties of any kind. However, as a result of the deformation procedure used during the shaping and its leveling, the metal can show signs of structural changes and that can, in turn, expose some natural magnetic property occurred at the end. This would not affect the quality in any way.

## Scratches On The Stainless Steel

In today's kitchens, materials lot tougher than the stainless steel (including but not limited to ceramic rocks, diamond, glass and cleaning products which cause erosion on spoons and knives) are being used. During the physical interaction of these materials with steel, the scratches can occur. Within the framework of today's existing technological capabilities it is hard to produce stainless steel that can resist to scratches. So, having scratches on the stainless steel sink is totally unavoidable in everyday usage.

## Linen Surface

Linen type stainless steel is a surface type that can be formed during the production stage and which has geometrical distribution of very small particles. This type of surface has the advantage of resisting to erosion, wearing and providing allure.

## Cleaning Of Stainless Steel


The dirt found on the surface can easily be cleaned with the application of water and detergent. The drying of the surface after the cleaning can avoid both the normal stains as well as the lime drops which can later cause permanent stains on the surface. A mixture of vinegar-water can be applied to get rid of the lime stains as well.

## Recommendations

The sinks should be cleaned frequently to remove any lime stains, dirt and normal occasional stains (it is advised to use cleaning cloth/bursh).

It is absolutely necessary not to leave any liquids that contain sodium chloride (table salt) for an extended amount of time.


If cleaning tools such as steel, wool/wire sponges should absolutely be used, one has to choose the one that is made of STAINLESS STEEL. For periodical cleansing and surface cleaning. It is advisable to use BLANCO Care Spray, BLANCO/PERA steel cream and cleaning clothes.



# PERA


Built-in Appliances





# PERA BUILT-IN HOBS






# PERA

Built-in Appliances





## 60'cm BUILT-IN HOBS




### POAX TG 64

- > Stainless steel
- > Automatic gas cut-off safety system
- > Enamel grid
- > 4 gas burners
- > Automatic ignition system
- > Side control
- > Suitable for LPG/natural gas
- > 60 cm width

**Colour**  
Stainless steel

**Code**  
420 543




### POAX EG 63

- > Stainless steel
- > Automatic gas cut-off safety system
- > Enamel grid
- > 3 gas burners, 1 electric burner
- > Automatic ignition system
- > Side control
- > Suitable for LPG/natural gas
- > 60 cm width

**Colour**  
Stainless steel

**Code**  
420 418




### POFX EGD 64

- > Stainless steel
- > Automatic gas cut-off safety system
- > Cast iron grid
- > 4 gas burners
- > Automatic ignition system
- > Front control
- > Suitable for LPG/natural gas
- > 60 cm width

**Colour**  
Stainless steel

**Code**  
420 578




### POAE TS 64

- > Black enamel surface
- > Automatic gas cut-off safety system
- > Enamel grid
- > 4 gas burners
- > Automatic ignition system
- > Side control
- > Suitable for LPG/natural gas
- > 60 cm width

**Colour**  
Black enamel

**Code**  
420 743




### POAE AGD R64

- > Rustic black enamel surface
- > Automatic gas cut-off safety system
- > Enamel grid
- > 4 gas burners
- > Automatic ignition system
- > Side control
- > Suitable for LPG/natural gas
- > 60 cm width

**Colour**  
Black enamel

**Code**  
420 736



## 60'cm BUILT-IN HOBS




### POAE AGD RK64

- > Rustic cream enamel surface
- > Automatic gas cut-off safety system
- > Enamel grid
- > 4 gas burners
- > Automatic ignition system
- > Side control
- > Suitable for LPG/natural gas
- > 60 cm width

**Colour**  
Cream enamel

**Code**  
420 749




### POFC TGE K64

- > Black securit glass
- > Automatic gas cut-off safety system
- > Enamel grid
- > 4 gas burners
- > Automatic ignition system
- > Side control
- > Suitable for LPG/natural gas
- > 60 cm width

**Colour**  
Black

**Code**  
420 499




### POFC TGE 64

- > Black securit glass
- > Automatic gas cut-off safety system
- > Enamel grid
- > 4 gas burners
- > Automatic ignition system
- > Side control
- > Suitable for LPG/natural gas
- > 60 cm width

**Colour**  
Black

**Code**  
420 498




### POFC TGE CK64

- > Black securit glass
- > Automatic gas cut-off safety system
- > Enamel grid
- > 4 gas burners
- > Automatic ignition system
- > Side control
- > Suitable for LPG/natural gas
- > 60 cm width

**Colour**  
Black

**Code**  
420 541




### POFC TGEI CK64


- > Black securit glass
- > Automatic gas cut-off safety system
- > Enamel grid
- > 4 gas burners
- > Automatic ignition system
- > Side control with inox panel
- > Suitable for LPG/natural gas
- > 60 cm width

**Colour**  
Black

**Code**  
420 547



## 60'cm BUILT-IN HOBS




### POFC TGEIW CK64

- > Black securit glass
- > Automatic gas cut-off safety system
- > Enamel grid
- > 4 gas burners 1 WOK
- > Automatic ignition system
- > Side control with inox panel
- > Suitable for LPG/natural gas
- > 60 cm width

**Colour**  
Black

**Code**  
420 548




### POFC EGD S 64

- > Black securit glass
- > Automatic gas cut-off safety system
- > Cast iron grid
- > 4 gas burners
- > Automatic ignition system
- > Side control
- > Suitable for LPG/natural gas
- > 60 cm width

**Colour**  
Black

**Code**  
420 045




### POFC TGD K 64

- > Black securit glass
- > Automatic gas cut-off safety system
- > Cast iron grid
- > 4 gas burners
- > Automatic ignition system
- > Side control
- > Suitable for LPG/natural gas
- > 60 cm width> 60 cm

**Colour**  
Black

**Code**  
420 737




### POFC TGE YK 64

- > Black securit glass
- > Automatic gas cut-off safety system
- > Enamel grid
- > 4 gas burners
- > Automatic ignition system
- > Side control
- > Suitable for LPG/natural gas
- > 60 cm width> 60 cm

**Colour**  
Black

**Code**  
420 769




### POFC TGE B64


- > White securit glass
- > Automatic gas cut-off safety system
- > Enamel grid
- > 4 gas burners
- > Automatic ignition system
- > Side control
- > Suitable for LPG/natural gas
- > 60 cm width

**Colour**  
White

**Code**  
420 523



# 70'cm BUILT-IN HOBS




## POFC TGE CK64

- > White securit glass
- > Automatic gas cut-off safety system
- > Enamel grid
- > 4 gas burners
- > Automatic ignition system
- > Side control
- > Suitable for LPG/natural gas
- > 60 cm width

**Colour**  
White

**Code**  
420 542




## POFX EGE W75

- > Stainless steel
- > Automatic gas cut-off safety system
- > Enamel grid
- > 4 gas burners 1 WOK
- > Automatic ignition system
- > Front control
- > Suitable for LPG/natural gas
- > 70 cm width

**Colour**  
Stainless steel

**Code**  
420 486




## POFC TGE W75

- > Black securit glass
- > Automatic gas cut-off safety system
- > Enamel grid
- > 4 gas burners 1 WOK
- > Automatic ignition system
- > Front control
- > Suitable for LPG/natural gas
- > 70 cm width

**Colour**  
Black

**Code**  
420 559




## POFC EGD S75

- > Black securit glass
- > Automatic gas cut-off safety system
- > Cast iron grid
- > 4 gas burners 1 WOK
- > Automatic ignition system
- > Front control
- > Suitable for LPG/natural gas
- > 70 cm width

**Colour**  
Black

**Code**  
420 046




## POFC EGD K75

- > Black securit glass
- > Automatic gas cut-off safety system
- > Cast iron grid
- > 4 gas burners 1 WOK
- > Automatic ignition system
- > Front control
- > Suitable for LPG/natural gas
- > 70 cm width

**Colour**  
Black

**Code**  
420 567




## 70'cm BUILT-IN HOBS

### POFC TGEW B75



- > White securit glass
- > Automatic gas cut-off safety system
- > Enamel grid
- > 4 gas burners 1 WOK
- > Automatic ignition system
- > Front control
- > Suitable for LPG/natural gas
- > 70 cm width



**Colour**  
White


**Code**  
420 731

## 90'cm BUILT-IN HOBS

### POFX EGE W95



- > Stainless steel
- > Automatic gas cut-off safety system
- > Enamel grid
- > 4 gas burners 1 WOK
- > Automatic ignition system
- > Front control
- > Suitable for LPG/natural gas
- > 90 cm width




**Colour**  
Stainless steel

**Code**  
420 487

### POFC EGBD 95



- > Black securit glass
- > Automatic gas cut-off safety system
- > Cast iron grid
- > 4 gas burners 1 WOK
- > Automatic ignition system
- > Front control
- > Suitable for LPG/natural gas
- > 90 cm width




**Colour**  
Black


**Code**  
420 496

## 60'cm BUILT-IN VITRO CERAMIC HOBS

### POVC ET 64




- > Vitro ceramic glass
- > 4 electric burners
- > Front touchcontrol
- > 2xØ180 mm / 1800W
- > 2xØ140 mm / 1200W
- > 60 cm width



**Colour**  
Black

**Code**  
420 539



## 30'cm BUILT-IN DOMINO HOBS




### PODM IGG 32

- > Stainless steel
- > Automatic gas cut-off safety system
- > Enamel grid
- > 2 gas burners
- > Automatic ignition system
- > Front control
- > Suitable for LPG/natural gas
- > 30 cm width

**Colour**  
Stainless steel

**Code**  
410 509




### PODM IE 32

- > Stainless steel
- > Enamel grid
- > 2 electric
- > 2 rapid hotplate
- > Front control
- > 30 cm width

**Colour**  
Stainless steel

**Code**  
410 507



**PERA**

Built-in Appliances

## BUILT-IN OVENS



# BUILT-IN OVENS




## PFMM STM INX CX4

- > Manuel control
- > Decorative black glass door, inox surface
- > 4 multifunction programs
- > Mechanical timer
- > Double door glasses
- > Cooling fan
- > Safety thermostat
- > 1 standard tray
- > 1 deep tray
- > 1 chrome shelf
- > Easy to clean interior surface and take out interior glass
- > 62 Lt capacity
- > A Energy class

**Colour**  
Stainless steel

**Code**  
420 603




## PFMM STM CB4

- > Manuel control
- > Full black glass front surface
- > 4 multifunction programs
- > Mechanical timer
- > Double door glasses
- > Cooling fan
- > Safety thermostat
- > 1 standard tray
- > 1 deep tray
- > 1 chrome shelf
- > Easy to clean interior surface and take out interior glass
- > 62 Lt capacity
- > A Energy class

**Colour**  
Black

**Code**  
420 646





## PFMM MFM CCE6

- > Manuel control
- > Full black glass front surface
- > 6 multifunction programs
- > Mechanical timer
- > Double door glasses
- > Cooling fan
- > Safety thermostat
- > Defrost feature
- > Grill feature
- > Turbo fan
- > 2 deep tray
- > 1 chrome shelf
- > Easy to clean interior surface and take out interior glass
- > 62 Lt capacity
- > A Energy class

**Colour**  
Black

**Code**  
410 623





## BUILT-IN OVENS




**Colour**  
Black

**Code**  
420 648

### PFMM MFM CC6

- > Manuel control
- > Full black glass front surface
- > 6 multifunction programs
- > Mechanical timer
- > Double door glasses
- > Cooling fan
- > Safety thermostat
- > Defrost feature
- > Grill feature
- > Turbo fan
- > 1 standard tray
- > 1 deep tray
- > 1 chrome shelf
- > Chrome wire rack
- > Easy to clean interior surface and take out interior glass
- > 62 Lt capacity
- > A Energy class




**Colour**  
Black

**Code**  
420 649

### PFMM MFD CC6

- > Digital control
- > Full black glass front surface
- > 6 multifunction programs
- > Digital timer
- > Double door glass
- > Cooling fan
- > Safety thermostat
- > Defrost feature
- > Grill feature
- > Turbo fan
- > 1 standard tray
- > 1 deep tray
- > 1 chrome shelf
- > Chrome wire rack
- > Easy to clean interior surface and take out interior glasses
- > 62 Lt capacity
- > A Energy class




**Colour**  
Black

**Code**  
420 638

### PFMM MFM CP6

- > Manuel control; pop-up buttons
- > Full black glass front surface
- > 6 multifunction programs
- > Mechanical timer
- > Double door glass
- > Cooling fan
- > Safety thermostat
- > Defrost feature
- > Grill feature
- > Turbo fan
- > 1 standard tray
- > 1 deep tray
- > 1 chrome shelf
- > Chrome wire rack
- > Easy to clean interior surface and take out interior glasses
- > 62 Lt capacity
- > A Energy class



## BUILT-IN OVENS




### PFMM MFD CP6

- > Digital control; pop-up buttons
- > Full black glass front surface
- > 6 multifunction programs
- > Digital timer
- > Double door glass
- > Cooling fan
- > Safety thermostat
- > Defrost feature
- > Grill feature
- > Turbo fan
- > 1 standard tray
- > 1 deep tray
- > 1 chrome shelf
- > Chrome wire rack
- > Easy to clean interior surface and take out interior glasses
- > 62 Lt capacity
- > **A Energy class**

**Colour**  
Black

**Code**  
420 639




### PFMM MFD INX CX6

- > Decorative black glass door; inox pannel
- > Full black glass front surface
- > 6 multifunction programs
- > Digital timer
- > Double door glasses
- > Cooling fan
- > Safety thermostat
- > Defrost feature
- > Grill feature
- > Turbo fan
- > 1 standard tray
- > 1 deep tray
- > 1 chrome shelf
- > Chrome wire rack
- > Easy to clean interior surface and take out interior glass
- > 62 Lt capacity
- > **A Energy class**

**Colour**  
Stainless steel

**Code**  
420 647





### PFMM MFM CCE W6

- > Manuel control
- > Full white glass front surface
- > 6 multifunction programs
- > Mechanical timer
- > Double door glasses
- > Cooling fan
- > Safety thermostat
- > Defrost feature
- > Grill feature
- > Turbo fan
- > 2 deep tray
- > 1 chrome shelf
- > Easy to clean interior surface and take out interior glass
- > 62 Lt capacity
- > **A Energy class**

**Colour**  
White

**Code**  
410 622





## BUILT-IN OVENS




**Colour**  
White

**Code**  
420 640

### PFMM MFM CPW6

- > Manuel control; pop-up buttons
- > Full white glass front surface
- > 6 multifunction programs
- > Mechanical timer
- > Double door glasses
- > Cooling fan
- > Safety thermostat
- > Defrost feature
- > Grill feature
- > Turbo fan
- > 1 standard tray
- > 1 deep tray
- > 1 chrome shelf
- > Chrome wire rack
- > Easy to clean interior surface and take out interior glass
- > 62 Lt capacity
- > A Energy class




**Colour**  
White

**Code**  
410 621

### PFMM MFD CPW6

- > Digital control; pop-up buttons
- > Full white glass front surface
- > 6 multifunction programs
- > Digital timer
- > Double door glasses
- > Cooling fan
- > Safety thermostat
- > Defrost feature
- > Grill feature
- > Turbo fan
- > 1 standard tray
- > 1 deep tray
- > 1 chrome shelf
- > Chrome wire rack
- > Easy to clean interior surface and take out interior glass
- > 62 Lt capacity
- > A Energy class




**Colour**  
Black

**Code**  
410 590

### PFMM MFM AR6

- > Decorative manual control panel
- > Full black front surface
- > 6 multifunction programs
- > Mechanical timer
- > Double door glasses
- > Cooling fan
- > Safety thermostat
- > Defrost feature
- > Grill feature
- > Turbo fan
- > 1 standard tray
- > 1 deep tray
- > 1 chrome shelf
- > Chrome wire rack
- > Easy to clean interior surface and take out interior glass
- > 63 Lt capacity
- > A Energy class



## BUILT-IN OVENS




### PFMM MFM ARK6

- > Decorative manual control panel
- > Full cream front surface
- > 6 multifunction programs
- > Mechanical timer
- > Double door glasses
- > Cooling fan
- > Safety thermostat
- > Defrost feature
- > Grill feature
- > Turbo fan
- > 1 standard tray
- > 1 deep tray
- > 1 chrome shelf
- > Chrome wire rack
- > Easy to clean interior surface and take out interior glass
- > 63 Lt capacity
- > **A Energy class**

**Colour**  
Cream

**Code**  
420 591




### PFMM MFD CP BL6

- > Digital control; pop-up buttons
- > Full black glass front surface
- > 6 multifunction programs
- > Digital timer
- > Double door glasses
- > Cooling fan
- > Safety thermostat
- > Defrost feature
- > Grill feature
- > Turbo fan
- > 1 standard tray
- > 1 deep tray
- > Easy to clean interior surface and take out interior glass
- > 62 Lt capacity
- > **A Energy class**

**Colour**  
Black

**Code**  
410 592





### PFMM MFD CP7

- > Digital control; pop-up buttons
- > Full black glass front surface
- > 7 multifunction programs
- > Digital timer
- > Double door glasses
- > Cooling fan
- > Safety thermostat
- > Defrost feature
- > Grill feature
- > Pizza function
- > Turbo fan
- > 1 standard tray
- > 1 deep tray
- > 1 chrome shelf
- > Chrome wire rack
- > Telescopic rail
- > Easy to clean interior surface and take out interior glass
- > 61 Lt capacity
- > **A Energy class**

**Colour**  
Black

**Code**  
410 594





## BUILT-IN OVENS




**Colour**  
Black

**Code**  
420 641

### PFMM MFT CD11

- > Digital control panel
- > Full black glass front surface
- > 11 multifunction programs
- > Digital timer
- > Double door glasses
- > Cooling fan
- > Safety thermostat
- > Defrost feature
- > Grill feature
- > Pizza function
- > Turbo fan
- > 1 standard tray
- > 1 deep tray
- > 1 chrome shelf
- > Chrome wire rack
- > Telescopic rail
- > Easy to clean interior surface and take out interior glass
- > 62 Lt capacity
- > A Energy class




**Colour**  
Stainless steel

**Code**  
420 606

### PFMM MFM INX CP 907

- > 90 cm electric ovens
- > 7+1 functions
- > Thermostat
- > Mechanic timer
- > Lower+upper+grill+turbo resistance
- > Cooling fan
- > Turbo fan
- > 2 trays + 1 grid
- > Side racks
- > Lamp
- > Inox panel
- > Double glass door and inox stripe
- > Push button




**Colour**  
Stainless steel

**Code**  
420 605

### PFMM MFT INX CP 907

- > 90 cm electric ovens
- > 7+1 functions
- > Thermostat
- > Touch timer
- > Lower+upper+grill+turbo resistance
- > Cooling fan
- > Turbo fan
- > 2 trays + 1 grid
- > Side racks
- > Lamp
- > Inox panel
- > Double glass door and inox stripe
- > Push button




## BUILT-IN OVENS



### PFMM MFM CCP 907

- > 90 cm electric ovens
- > 7+1 functions
- > Thermostat
- > Mechanic timer
- > Lower+upper+grill+turbo resistance
- > Cooling fan
- > Turbo fan
- > 2 trays + 1 grid
- > Side racks
- > Lamp
- > Glass panel
- > Double glass door
- > Push button




**Colour**  
Black

**Code**  
420 607



### PFMM MFT CCP 907

- > 90 cm electric ovens
- > 7+1 functions
- > Thermostat
- > Touch timer
- > Lower+upper+grill+turbo resistance
- > Cooling fan
- > Turbo fan
- > 2 trays + 1 grid
- > Side racks
- > Lamp
- > Glass panel
- > Double glass door
- > Push button



**Colour**  
Black


**Code**  
420 608

## MICROWAVE OVEN




### PMF MG KC GD 23

- > 23 lt microwave oven
- > 8 multifunction programs
- > Easy to open door with push button
- > Black interior and front surface
- > Electronic control and digital display
- > 5 level power adjustments
- > Defrost function
- > 60 min. time setting
- > Air conditioning
- > Rotating glasses interior plate
- > Grill function
- > Grill wire
- > Child lock
- > Functions working in combination
- > Double-safety lock
- > Oven interior lighting
- > Power 230V,50Hz, 1400W



**Colour**  
Black


**Code**  
420 352



**PERA**  
Built-in Appliances

## KITCHEN HOODS






## KITCHEN HOODS



### ECOFRESH YP 60

- > Wall-mounted stainless steel inox body
- > 60 cm width
- > 3 speed levels
- > Max 650m3/h suction power
- > Push button control
- > Lighting 1x2W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet


Colour  
Stainless steel      Code  
410 225



### ECOFRESH P 90

- > Wall-mounted stainless steel inox body
- > 90 cm width
- > 3 speed levels
- > Max 650m3/h suction power
- > Push button control
- > Lighting 1x2W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet


Colour  
Stainless steel      Code  
410 220



### ECOFRESH SP 60

- > Wall-mounted black body
- > 60 cm width
- > 3 speed levels
- > Max 650m3/h suction power
- > Push button control
- > Lighting 1x2W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet


Colour  
Black      Code  
420 896



### ECOFRESH RSP 60

- > Wall-mounted black body
- > Rustic hanger
- > 60 cm width
- > 3 speed levels
- > Max 650m3/h suction power
- > Push button control
- > Lighting 1x2W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet

Colour  
Black      Code  
410 268



## KITCHEN HOODS




### ECOFRESH RKP 60

- > Wall-mounted cream body
- > Rustic hanger
- > 60 cm width
- > 3 speed levels
- > Max 650m3/h suction power
- > Push button control
- > Lighting 1x2W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet

**Colour**  
Cream

**Code**  
410 338




### PFLB 60

- > Wall-mounted black body
- > 60 cm width
- > 3 speed levels
- > Max 650m3/h suction power
- > Push button control
- > Lighting 1x2W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet

**Colour**  
Black

**Code**  
410 254




### PFLB 90

- > Wall-mounted black body
- > 60 cm width
- > 3 speed levels
- > Max 650m3/h suction power
- > Push button control
- > Lighting 1x2W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet

**Colour**  
Black

**Code**  
410 255





### PFLX 60

- > Wall-mounted stainless steel inox body
- > Decorative ovale glass
- > 60 cm width
- > 3 speed levels
- > Max 650m3/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet

**Colour**  
Stainless steel

**Code**  
410 252






## KITCHEN HOODS



**Colour** Stainless steel    **Code** 410 253

### PFLX 90


- > Wall-mounted stainless steel inox body
- > Decorative ovale glass
- > 90 cm width
- > 3 speed levels
- > Max 650m3/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet



**Colour** Stainless steel    **Code** 420 803

### PGLX 60 LCD


- > Wall-mounted stainless steel inox body
- > Decorative glass panel
- > 60 cm width
- > 3 speed levels
- > Max 650m3/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet



**Colour** Stainless steel    **Code** 420 804

### PGLX 90 LCD


- > Wall-mounted stainless steel inox body
- > Decorative glass panel
- > 90 cm width
- > 3 speed levels
- > Max 650m3/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet




**Colour** Black    **Code** 410 342

### PLSC CPM 60

- > Wall-mounted black glass
- > 60 cm width
- > 3 speed levels
- > Max 450m3/h suction power
- > Push button control
- > Lighting 1x2 W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet





## KITCHEN HOODS




Colour  
Black

Code  
420 969

### PLSC CYD 60

- > Wall-mounted black glass
- > 60 cm width
- > 3 speed levels
- > Max 650m<sup>3</sup>/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet




Colour  
White

Code  
420 974

### PLSC CYD W60

- > Wall-mounted white glass
- > 60 cm width
- > 3 speed levels
- > Max 650m<sup>3</sup>/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet




Colour  
Black

Code  
410 278

### PLSC GLS 60

- > Wall-mounted black glass
- > 60 cm width
- > 3 speed levels
- > Max 650m<sup>3</sup>/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet




Colour  
Black

Code  
410 279

### PLSC GLS 90

- > Wall-mounted black glass
- > 90 cm width
- > 3 speed levels
- > Max 650m<sup>3</sup>/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet



# KITCHEN HOODS





**Colour**  
White

**Code**  
410 334

## PLSC GLS W 60

- > Wall-mounted white glass
- > 60 cm width
- > 3 speed levels
- > Max 650m3/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet




**Colour**  
White

**Code**  
410 335

## PLSC GLS W 90

- > Wall-mounted white glass
- > 90 cm width
- > 3 speed levels
- > Max 650m3/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet




**Colour**  
Black

**Code**  
420 958

## PLSC WAVE 60

- > Wall-mounted black glass
- > 60 cm width
- > 3 speed levels
- > Max 650m3/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet





**Colour**  
White

**Code**  
420 989

## PLSC WAVE W60

- > Wall-mounted white glass
- > 60 cm width
- > 3 speed levels
- > Max 650m3/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet





## KITCHEN HOODS




Colour  
Black

Code  
410 269

### PLSC GRV 60

- > Wall-mounted black glass
- > Decorative glass air suction panel
- > 60 cm width
- > 3 speed levels
- > Max 650m<sup>3</sup>/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet




Colour  
Black

Code  
410 340

### PLSC VERA 60

- > Wall-mounted black glass
- > Decorative glass air suction panel
- > 60 cm width
- > 3 speed levels
- > Max 650m<sup>3</sup>/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet




Colour  
Black

Code  
410 273

### PLSC V-STYLE 60

- > Wall-mounted black glass
- > Decorative inclined body
- > 60 cm width
- > 3 speed levels
- > Max 650m<sup>3</sup>/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet




Colour  
Black

Code  
410 274

### PLSC V-STYLE 90

- > Wall-mounted black glass
- > 90 cm width
- > 3 speed levels
- > Max 650m<sup>3</sup>/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet



# KITCHEN HOODS




**Colour**  
Black

**Code**  
410 275

## PLSC LEGO 60

- > Wall-mounted black glass
- > 60 cm width
- > 3 speed levels
- > Max 650m3/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet




**Colour**  
Black

**Code**  
410 276

## PLSC LEGO 90

- > Wall-mounted black glass
- > 90 cm width
- > 3 speed levels
- > Max 650m3/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet



## ISLAND HOODS




### PLCX SLIM 90 ISLAND

- > Stainless steel inox body
- > Inox chimney
- > 90 cm width
- > 3 speed levels
- > Black glass front side
- > Max 650m<sup>3</sup>/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet

**Colour**  
Stainless steel

**Code**  
420 863




### PLSC TBT ISLAND 90

- > Wall-mounted black glass
- > Elegant style
- > 90 cm width
- > 3 speed levels
- > Max 650m<sup>3</sup>/h suction power
- > Digital display screen
- > Time adjustment
- > Lighting 2x1W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > 120 mm chimney outlet

**Colour**  
Black

**Code**  
410 337



## SLADING HOODS




### ECOSLIDE SW

- > White front panel
- > 60 cm width
- > 3 speed levels
- > Max350m3/h suction power
- > Mechanical control
- > Lighting 1x2 W
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet

**Colour**  
White

**Code**  
410 217




### ECOSLIDE SX

- > Inox front panel
- > 60 cm width
- > 3 speed levels
- > Max350m3/h suction power
- > Mechanical control
- > Lighting 1x2 W
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet

**Colour**  
Stainless steel

**Code**  
410 218




### ECOSLIDE W2

- > White front panel
- > Double motors
- > 60 cm width
- > 3 speed levels
- > Max460m3/h suction power
- > Mechanical control
- > Lighting 1x2 W
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet

**Colour**  
White

**Code**  
410 203C




### ECOSLIDE X2

- > Inox front panel
- > Double motors
- > 60 cm width
- > 3 speed levels
- > Max460m3/h suction power
- > Mechanical control
- > Lighting 1x2 W
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet

**Colour**  
Stainless steel

**Code**  
410 202C




### PSCX 60

- > Stainless steel - black glass front panel
- > Double motors
- > 60 cm width
- > 3 speed levels
- > Max460m3/h suction power
- > Mechanical control
- > Lighting 1x2 W
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > Height adjustable chimney
- > 120 mm chimney outlet

**Colour**  
Stainless steel

**Code**  
410 211





C M Y CM MY CY CMY K


# PERA

Built-in Appliances

## PERA KITCHEN SINKS









## KITCHEN SINKS



1 1/2" waste outlet

### PERA K 40x50

- > Single bowl
- > Stainless steel
- > Bowl depth: 165 mm
- > Overflow from the bowl
- > Thickness 0.6 mm
- > Dimensions: 400x500 mm



Colour  
Stainless steel



Code  
420 127



3 1/2" waste outlet

### PERA ETR 48

- > Single bowl
- > Stainless steel
- > Bowl depth: 170 mm
- > Overflow from the bowl
- > Thickness 0.6 mm
- > Dimensions: 480x480 mm



Colour  
Stainless steel



Code  
420 270



3 1/2" waste outlet

### PERA KT 6

- > One and a half bowl
- > Stainless steel
- > Bowl depth: 190/140 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.8 mm
- > Dimensions: 490x620 mm



Colour  
Stainless steel



Code  
420 142



1 1/2" waste outlet

### PERA 43,5x76

- > Single bowl with drainer
- > Stainless steel / Linen
- > Bowl depth: 165 mm
- > Overflow from the drainer
- > Thickness 0.6 mm
- > Dimensions: 435x760 mm



Colour  
Stainless steel



Code  
410 130



3 1/2" waste outlet


### PERA 43,5x78 H

- > Single bowl with drainer
- > Stainless steel
- > Bowl depth: 165 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.6 mm
- > Dimensions: 435x780 mm



Colour  
Stainless steel

Code  
410 137





## KITCHEN SINKS



1 ½" waste outlet

### PERA ETR 86 E

- > Single bowl with drainer
- > Stainless steel / Linen
- > Bowl depth: 140 mm
- > Overflow from the drainer
- > Thickness 0.5 mm
- > Dimensions: 435x860 mm





| Colour          | Code    |
|-----------------|---------|
| Stainless steel | 420 250 |



1 ½" waste outlet

### PERA KC 86 ED

- > Single bowl with drainer
- > Linen
- > Bowl depth: 140 mm
- > Overflow from the drainer
- > Thickness 0.5 mm
- > Dimensions: 435x860 mm





| Colour | Code    |
|--------|---------|
| Linen  | 420 282 |



3 ½" waste outlet

### PERA FLEX ID

- > Single bowl with drainer
- > Linen
- > Bowl depth: 150 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.6 mm
- > Dimensions: 435x860 mm





| Colour | Code    |
|--------|---------|
| Linen  | 420 240 |



3 ½" waste outlet

### PERA 50x86 K 6

- > Single bowl with drainer
- > Stainless steel
- > Bowl depth: 160 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.6 mm
- > Dimensions: 500x860 mm





| Colour          | Code    |
|-----------------|---------|
| Stainless steel | 410 180 |




3 ½" waste outlet

### PERA 50x86 KH

- > Single bowl with drainer
- > Stainless steel
- > Bowl depth: 180 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.8 mm
- > Dimensions: 500x860 mm



| Colour          | Code    |
|-----------------|---------|
| Stainless steel | 410 182 |



## KITCHEN SINKS



3 ½" waste outlet

### PERA DUO



- > Single bowl with drainer
- > Stainless steel
- > Bowl depth: 170 mm
- > Overflow from the drainer
- > Suitable for waste disposer
- > Thickness 0.6 mm
- > Dimensions: 480x780 mm

Colour

Stainless steel

Code

410 012



3 ½" waste outlet

### PERA DUO Mini



- > Single bowl with drainer
- > Stainless steel
- > Bowl depth: 170 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.6 mm
- > Dimensions: 480x600 mm

Colour

Stainless steel

Code

410 010



3 ½" waste outlet

### PERA PIKO



- > Single bowl with drainer
- > Stainless steel
- > Bowl depth: 170 mm
- > Overflow from the drainer
- > Suitable for waste disposer
- > Thickness 0.6 mm
- > Dimensions: 480x730 mm

Colour

Stainless steel

Code

410 124



3 ½" waste outlet

### PERA XL 6 S



- > Single bowl with drainer
- > Stainless steel
- > Bowl depth: 170 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.6 mm
- > Dimensions: 480x730 mm

Colour

Stainless steel

Code

420 144



3 ½" waste outlet

### PERA K 80



- > One and a half bowl with drainer
- > Stainless steel
- > Bowl depth: 190/140 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.8 mm
- > Dimensions: 500x800 mm


Colour

Stainless steel

Code

410 141







## KITCHEN SINKS



3 ½" waste outlet

### PERA M 100 - S

- > One and a half bowl with drainer
- > Stainless steel
- > Bowl depth: 150/90 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.6 mm
- > Dimensions: 500x1000 mm





| Colour          | Code    |
|-----------------|---------|
| Stainless steel | 420 172 |



3 ½" waste outlet

### PERA EASR A 100 - S

- > One and a half bowl with drainer
- > Stainless steel
- > Bowl depth: 150/90 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.6 mm
- > Dimensions: 500x1000 mm





| Colour          | Code    |
|-----------------|---------|
| Stainless steel | 420 070 |



3 ½" waste outlet

### PERA EASR 100

- > One and a half bowl with drainer
- > Stainless steel
- > Bowl depth: 160/130 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.6 mm
- > Dimensions: 500x1000 mm



Glass cutting board and  
Steel intermediate strainer for  
small eye optional



| Colour          | Code    |
|-----------------|---------|
| Stainless steel | 420 166 |



3 ½" waste outlet

### PERA KX 8

- > Double bowl
- > Stainless steel
- > Bowl depth: 170/170 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.8 mm
- > Dimensions: 500x800 mm





| Colour          | Code    |
|-----------------|---------|
| Stainless steel | 410 163 |




3 ½" waste outlet

### PERA K 8S

- > Double bowl with drainer
- > Stainless steel
- > Bowl depth: 150/150 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.6 mm
- > Dimensions: 500x1160 mm



| Colour          | Code    |
|-----------------|---------|
| Stainless steel | 410 147 |




## KITCHEN SINKS



1 1/2" waste outlet

### PERA CENTROVAL F6 1 1/2"

- > Single bowl
- > Stainless steel
- > Bowl depth: 170 mm
- > Overflow from the bowl
- > Thickness 0.6 mm
- > Dimensions: Ø 500 mm




Use template



3 1/2" waste outlet

### PERA CENTROVAL F6 3 1/2"

- > Single bowl
- > Stainless steel
- > Bowl depth: 170 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.6 mm
- > Dimensions: Ø 500 mm




Use template



3 1/2" waste outlet

### PERA RONDO

- > Single bowl
- > Stainless steel
- > Bowl depth: 200 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.8 mm
- > Dimensions: Ø 435 mm




Use template




3 1/2" waste outlet

### PERA CORNER

- > Single bowl with drainer
- > Stainless steel
- > Bowl depth: 150 mm
- > Overflow from the drainer
- > Suitable for waste disposer
- > Thickness 0.6 mm
- > Dimensions: 480x770 mm



Use template




## UNDERMAUNT SINKS



3 1/2" waste outlet

### PERA TEZALT AA4

- > Undermount single bowl
- > Stainless steel
- > Bowl depth: 200 mm
- > Overflow from the bowl
- > Brushed bowl surface
- > Suitable for waste disposer
- > Thickness 1 mm
- > Dimensions: 340x400 mm




| Colour          | Code    |
|-----------------|---------|
| Stainless steel | 420 159 |



3 1/2" waste outlet

### PERA TEZALT 40x40

- > Undermount single bowl
- > Stainless steel
- > Bowl depth: 200 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.8 mm
- > Dimensions: 400x400 mm




| Colour          | Code    |
|-----------------|---------|
| Stainless steel | 420 128 |



1 1/2" waste outlet

### PERA TEZALT M

- > Undermount single bowl
- > Stainless steel
- > Bowl depth: 170 mm
- > Overflow from the bowl
- > Thickness 0.6 mm
- > Dimensions: 350x400 mm



**Without waste fitting**


| Colour          | Code    |
|-----------------|---------|
| Stainless steel | 410 000 |



3 1/2" waste outlet

### PERA TEZALT M45

- > Undermount single bowl
- > Stainless steel
- > Bowl depth: 190 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.6 mm
- > Dimensions: 400x450 mm




| Colour          | Code    |
|-----------------|---------|
| Stainless steel | 410 048 |




3 1/2" waste outlet

### PERA TEZALT MK435

- > Undermount single bowl
- > Stainless steel
- > Bowl depth: 170 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.6 mm
- > Dimensions: 350x400 mm



| Colour          | Code    |
|-----------------|---------|
| Stainless steel | 420 290 |




## UNDERMAUNT SINKS



3 1/2" waste outlet

### PERA TEZALT MK 438


- > Undermount single bowl
- > Stainless steel
- > Bowl depth: 170 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.6 mm
- > Dimensions: 380x480 mm



3 1/2" waste outlet

### PERA TEZALT MKP 451


- > Undermount single bowl
- > Stainless steel
- > Bowl depth: 190 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.8 mm
- > Dimensions: 400x510 mm



3 1/2" waste outlet

### PERA COMFORT K 1,5

- > Undermount 1,5 bowl
- > Stainless steel
- > Bowl depth: 190/120 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.8 mm
- > Dimensions: 340x400 / 300x170 mm




### 60 cm cabinet size



3 1/2" waste outlet

### PERA COMFORT S - A


- > Undermount double bowl
- > Stainless steel
- > Bowl depth: 200/180 mm
- > Overflow from the bowl
- > Brushed bowl surface
- > Suitable for waste disposer
- > Thickness 1 mm
- > Dimensions: 307x390 / 410x340 mm




3 1/2" waste outlet

### PERA COMFORT T - A

- > Undermount double bowl
- > Stainless steel
- > Bowl depth: 200/200 mm
- > Overflow from the bowl
- > Brushed bowl surface
- > Suitable for waste disposer
- > Thickness 1 mm
- > Dimensions: 410x360 / 410x360 mm



| Colour          | Code    |
|-----------------|---------|
| Stainless steel | 420 178 |




## UNDERMAUNT SINKS



3 ½" waste outlet

### PERA COMFORT K - A

- > Undermount double bowl
- > Stainless steel
- > Bowl depth: 200/200 mm
- > Overflow from the bowl
- > Brushed bowl surface
- > Suitable for waste disposer
- > Thickness 1 mm
- > Dimensions: 340x400 / 340x400 mm





| Colour          | Code    |
|-----------------|---------|
| Stainless steel | 420 182 |



3 ½" waste outlet

### PERA TEZALT RONDO KP

- > Undermount single bowl
- > Stainless steel
- > Bowl depth: 200 mm
- > Overflow from the bowl
- > Suitable for waste disposer
- > Thickness 0.8 mm
- > Dimensions: Ø38 mm





| Colour          | Code    |
|-----------------|---------|
| Stainless steel | 410 199 |



1 ½" waste outlet


### PERA TEZALT Y5

- > Undermount single bowl
- > Stainless steel
- > Bowl depth: 165 mm
- > Overflow from the bowl
- > Thickness 0.5 mm
- > Dimensions: Ø38 mm



**Without waste fitting**

| Colour          | Code    |
|-----------------|---------|
| Stainless steel | 410 100 |




## PERA CUBIX SERIES



3 ½" waste outlet

### PERA CUBIX U 40

- > Single bowl sink
- > Stainless steel
- > Bowl depth: 200 mm
- > Thickness 1 mm
- > Dimensions: 450x450 mm




**Colour**      **Code**  
Stainless steel    420 017



3 ½" waste outlet

### PERA CUBIX U 50

- > Single bowl sink
- > Stainless steel
- > Bowl depth: 200 mm
- > Thickness 1 mm
- > Dimensions: 550x450 mm




**Colour**      **Code**  
Stainless steel    410 096



3 ½" waste outlet

### PERA CUBIX U 34/17

- > 1.5 bowl sink
- > Stainless steel
- > Bowl depth: 200/150 mm
- > Thickness 1 mm
- > Dimensions: 580x450 mm




**Colour**      **Code**  
Stainless steel    420 019



3 ½" waste outlet

### PERA CUBIX U 70

- > Single bowl sink
- > Stainless steel
- > Bowl depth: 200 mm
- > Thickness 1 mm
- > Dimensions: 750x450 mm



**Colour**      **Code**  
Stainless steel    420 018


## PERA CUBIM SERIES



3 ½" waste outlet

### PERA CUBIM U 40

- > Single bowl sink
- > Stainless steel
- > Bowl depth: 200 mm
- > Thickness 1 mm
- > Dimensions: 440x440 mm




**Colour**      **Code**  
Stainless steel    420 020



3 ½" waste outlet

### PERA CUBIM U 50

- > Single bowl sink
- > Stainless steel
- > Bowl depth: 200 mm
- > Thickness 1 mm
- > Dimensions: 540x440 mm




**Colour**      **Code**  
Stainless steel    410 021



3 ½" waste outlet

### PERA CUBIM U 34/17

- > 1.5 bowl sink
- > Stainless steel
- > Bowl depth: 200/150 mm
- > Thickness 1 mm
- > Dimensions: 570x440 mm




**Colour**      **Code**  
Stainless steel    420 014




3 ½" waste outlet

### PERA CUBIM U 34/34

- > Double bowl sink
- > Stainless steel
- > Bowl depth: 200/200 mm
- > Thickness 1 mm
- > Dimensions: 700x440 mm




**Colour**      **Code**  
Stainless steel    420 022



**PERA**  
Built-in Appliances

KITCHEN TAPS




## KITCHEN TAPS



### PERA PGE MIX

- > Single-control faucet
- > 360degree swivel
- > Side control
- > Stainless steel flexible hoses


**Colour** Chrome      **Code** 410 612



### PERA PWG MIX

- > Single-control faucet
- > 360 degree swivel
- > Upper control
- > Stainless steel flexible hoses


**Colour** Chrome      **Code** 410 603



### PERA PWG MIX-S

- > Single-control faucet
- > With extendable spray
- > Water control on the shower head
- > 120 degree swivel
- > Upper control
- > Stainless steel flexible hoses


**Colour** Chrome      **Code** 410 602



### PERA PFS MIX

- > Single-control faucet
- > 360 degree swivel
- > Side control
- > Acute neck
- > Stainless steel flexible hoses


**Colour** Chrome      **Code** 410 619



### PERA PFL MIX

- > Single-control faucet
- > 360 degree swivel
- > Side control
- > Goose neck
- > Stainless steel flexible hoses


**Colour** Chrome      **Code** 410 618



### PERA PBML MIX-S

- > Single-control faucet
- > With extendable spray
- > 120 degree swivel
- > Side control
- > Stainless steel flexible hoses


**Colour** Chrome      **Code** 410 684




### PERA PBDW MIX

- > Double-control faucet
- > 360 degree swivel
- > Side control
- > Acute neck
- > Stainless steel flexible hoses

**Colour** Chrome      **Code** 410 643



**WATER TREATMENT DEVICE COMPATIBLE TAP**




# PERA

Built-in Appliances

## Professional Home Cusines





# PROFESSIONAL HOME CUSINES



## 60 cm Professional Pyramid Hoods

- > Handmade pyramid design
- > 3 speed levels
- > Hideable setting button
- > Max 800 m3 / h suction power
- > Lighting 2x3 W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > 145 mm chimney outlet

| Colours         | Code    |
|-----------------|---------|
| Stainless steel | 410 651 |
| Red             | 410 652 |
| Yellow          | 410 653 |
| Black mat       | 410 654 |
| White           | 410 655 |
| Green           | 410 656 |
| Jasmine         | 410 657 |
| Blue            | 410 658 |
| Purple          | 410 659 |



## 60 cm Professional Hob Features

- > Handmade color desing
- > Decorative handles and buttons
- > 4 gas burners 1 WOK burner
- > Inox top shell
- > Cast iron grid
- > Gas safety valve
- > Automatic ignition system
- > Suitable for LPG / natural gas

| Colours         | Code    |
|-----------------|---------|
| Stainless steel | 420 700 |
| Red             | 420 701 |
| Yellow          | 420 702 |
| Black mat       | 420 703 |
| White           | 420 704 |
| Green           | 420 705 |
| Jasmine         | 420 706 |
| Blue            | 420 707 |
| Purple          | 420 708 |

## 60 cm Multi Turbo Professional Oven Features

- |   |                       |
|---|-----------------------|
| > 6 functions electric multifunction turbo oven | > Wire shelf          |
| > Mechanical time control                       | > Interior lighting   |
| > Defrost feature                               | > 2 trays 1 wire grid |
| > Easy removable inner cover glass              | > Tray storage drawer |
| > Cooling fan                                   | > Capacity 58 Lt      |
|   | > 60x60x62 (Y*G*D)    |




## 90 cm Professional Pyramid Hoods

- > Handmade pyramid design
- > 3 speed levels
- > Hideable setting button
- > Max 800 m3 / h suction power
- > Lighting 2x3 W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > 145 mm chimney outlet

| Colours         | Code    |
|-----------------|---------|
| Stainless steel | 410 660 |
| Red             | 410 661 |
| Yellow          | 410 662 |
| Black mat       | 410 663 |
| White           | 410 664 |
| Green           | 410 665 |
| Jasmine         | 410 666 |
| Blue            | 410 667 |
| Purple          | 410 668 |

## COLOURS



# PROFESSIONAL HOME CUSINES



## 90 cm Professional Hob Features

- > Handcrafted color design
- > Decorative handles and buttons
- > 5 gas burners 1 WOK burner
- > Inox top shell
- > Cast iron grid
- > Gas safety valve
- > Automatic ignition system
- > Suitable for LPG / natural gas

| Colours         | Code    |
|-----------------|---------|
| Stainless steel | 420 710 |
| Red             | 420 711 |
| Yellow          | 420 712 |
| Black mat       | 420 713 |
| White           | 420 714 |
| Green           | 420 715 |
| Jasmine         | 420 716 |
| Blue            | 420 717 |
| Purple          | 420 718 |

## 90 cm Multi Turbo Professional Oven Features

- |  |                       |
|--|-----------------------|
| > 11 functions electric multifunction turbo oven | > Wire shelf          |
| > Mechanical time control                        | > Interior lighting   |
| > Defrost feature                                | > 2 trays 1 wire grid |
| > Easy removable inner cover glass               | > Tray storage drawer |
| > Cooling fan                                    | > Capacity 120 Lt     |
| > Double turbo fan                               | > 90x90x62 (Y*G*D)    |



## 120 cm Professional Pyramid Hoods

- > Handwork pyramid design
- > 3 speed levels
- > Hideable setting button
- > Max 800 m3 / h suction power
- > Lighting 2x3 W Led
- > Washable aluminum cassette filter
- > Optional carbon filter
- > NR-V system
- > 145 mm chimney outlet

| Colours         | Code    |
|-----------------|---------|
| Stainless steel | 410 669 |
| Red             | 410 670 |
| Yellow          | 410 671 |
| Black mat       | 410 672 |
| White           | 410 673 |
| Green           | 410 674 |
| Jasmine         | 410 675 |
| Blue            | 410 676 |
| Purple          | 410 677 |



## 120 cm Professional Hob Features

- > Handcrafted color design
- > Decorative handles and buttons
- > 6 gas burners 1 WOK burner
- > Inox top shell
- > Cast iron grid
- > Gas safety valve
- > Automatic ignition system
- > Suitable for LPG / natural gas

| Colours         | Code    |
|-----------------|---------|
| Stainless steel | 420 720 |
| Red             | 420 721 |
| Yellow          | 420 722 |
| Black mat       | 420 723 |
| White           | 420 724 |
| Green           | 420 725 |
| Jasmine         | 420 726 |
| Blue            | 420 727 |
| Purple          | 420 728 |

## 120 cm Multi Turbo Professional Oven Features

- |  |                               |
|--|-------------------------------|
| > 10 functions electric multifunction turbo oven | > Wire shelf                  |
| > Mechanical time control                        | > Interior lighting           |
| > Defrost feature                                | > 2 trays 1 wire grid         |
| > Easy removable inner cover glass               | > Tray storage drawer         |
| > Cooling fan                                    | > 2x58 liters internal volume |
|  | > 90x120x60 (Y*G*D)           |






## SPARE PARTS

410 700 Local - S connection

410 729 Main connection 1 ½" No overflow

410 703 Main connection 1 ½" Overflow from the bowl

410 704 Main connection 1 ½" Overflow from the bowl



410 718 Main connection 3 ½" No overflow

410 717 Main connection 2 x 3 ½" No overflow

410 702 Main connection 3 ½" Overflow from the bowl

410 705 Main connection 3 ½" Overflow from the drainer

410 708 Main connection 2 x 3 ½" Overflow from the bowl

410 710 Main connection 2 x 3 ½" Overflow from the bowl




## NOTE





**NOT**



# PERA

Built-in Appliances



**Öztiryakiler**

**BLANCO ÖZTIRYAKİLER Mutfak Donanımı SAN. ve TİC.A.Ş.**

İstanbul Tel: 0212 886 57 13  
[info@blanco.com.tr](mailto:info@blanco.com.tr)

İzmir Tel: 0232 265 54 54  
[tanitim@blanco.com.tr](mailto:tanitim@blanco.com.tr)

Ankara Tel: 0312 440 11 00  
[siparis@blanco.com.tr](mailto:siparis@blanco.com.tr)

[www.peramutfak.com.tr](http://www.peramutfak.com.tr)

[www.peraankastre.com](http://www.peraankastre.com)